

## 1. Product and company identification


**Commercial product name:** KETRON® PEEK-GF30 LSG blue (RAL 5019)

**Company (manufacturer):** Quadrant EPP Belgium NV  
 I.P. Noord – R. Tavernierlaan 2  
 B – 8700 Tielt  
 Tel.: +32/(0)51/42 35 11  
 Fax: +32/(0)51/42 33 00

## 2. Composition and information on ingredients

**Chemical characterisation** (eventually with synonyms): Polyetheretherketone with 30% glass fibres + other additives

**Chemical structure:** PEEK



**CAS Nr.** ('Chemical Abstract Service Registry Number'): PEEK: 29658-26-2 / Glass fibres: 65997-17-3

## 3. Hazards identification

**Most important hazards:** No critical hazards for man and environment in case of normal storage, handling and usage.

**Specific hazards:** Not applicable

## 4. First-aid measures

**Inhalation:** In case the plastic burns and combustion gases are inhaled, immediately leave the room and get medical help.

**Skin contact:** In case molten material comes in contact with the skin, the skin needs to be rinsed thoroughly with cold water. Do not try to remove the molten material. Get medical assistance for the removal of the tacky material and care of the burn.

## 5. Fire-fighting measures

**Suitable extinguishing media:** Water, foam, dry chemical, CO<sub>2</sub>. Adapt to the nature and extent of fire.

**Extinguishing media which must not be used for safety reasons:** no data available.

**Special exposure hazards arising from the substance or preparation itself, combustion products or resulting gases:** see section 10.

**Special protective equipment for fire-fighters:**

Firemen should wear self-contained breathing apparatus and protective clothing to prevent contact with skin and/or eyes. If exposed to combustion fumes in a high concentration, bring the victim into fresh air. If molten material contacts skin, cool rapidly with cold water and obtain medical attention for removal of adhering material and treatment of the burn.

## 6. Accidental release measures

<b>Personal precautions:</b>	Not applicable
<b>Environmental precautions:</b>	See sections 12 & 13
<b>Methods for cleaning up:</b>	See section 13

## 7. Handling and storage

<b>Handling:</b>	
<b>Technical measures:</b>	Not applicable
<b>Precautions:</b>	Not applicable
<b>Safe handling advice:</b>	During machining of the stock shapes, evacuate swarf to prevent slipping or tripping hazard and observe the max. allowable concentration of dust levels on the workplace which apply in your country.
<b>Storage:</b>	
<b>Technical measures:</b>	Not applicable
<b>Safe storage conditions:</b>	Inert under normal storage conditions.
<b>Incompatible products:</b>	Not applicable
<b>Safe packaging materials:</b>	Not applicable

## 8. Exposure controls / personal protection

<b>Engineering measures to minimize worker exposure:</b>	None
<b>Personal protection:</b>	
<b>Respiratory protection:</b>	None (except when the product burns – cfr. sections 4 & 10).
<b>Hand protection:</b>	Gloves in case of frequent contact with warm material.
<b>Eye protection:</b>	Safety goggles during machining.
<b>Industrial hygiene:</b>	Follow good standard industrial practice. No special precautions.

## 9. Physical and chemical properties

<b>Appearance:</b>	<b>Form:</b> stock shapes (plate and rod) <b>Colour:</b> blue (RAL 5019)	<u><b>ACCORDING TO</b></u>
<b>Odour:</b>	No special odour	
<b>Change in physical state:</b>	<b>Boiling point/boiling range:</b> not applicable <b>Melting point/melting range:</b> 340°C	
<b>Flash point:</b>	Not applicable	
<b>Vapour pressure:</b>	Not applicable	
<b>Self ignition temperature:</b>	595°C	ASTM D 1929
<b>pH:</b>	Not applicable	
<b>Density (at 23°C):</b>	1.51 g/cm³	ISO 1183
<b>Solubility in water:</b>	Negligible	
<b>Thermal decomposition:</b>	> 300°C	

**10. Stability and reactivity**

<b>Stability:</b>	In normal circumstances, the plastic and its swarf are stable.
<b>Conditions to avoid:</b>	Temperatures above the melting point/melting range (see section 9).
<b>Hazardous decomposition products:</b>	The main products formed in case of overheating and combustion are carbon monoxide, carbon dioxide and nitrogen oxides. Formation of further hazardous decomposition products depends upon the fire conditions and can not be excluded.

**11. Toxicological information**

<b>Acute toxicity:</b>	This product is not considered as being harmful to human health if handled as recommended.
<b>Local effects:</b>	Not applicable

**12. Ecological information**

This material does not harm the environment but is not biologically degradable.

**13. Disposal consideration**

<b>Residual waste:</b>	When recycling is impossible, incineration or landfill. Disposal methods must conform to local or other government regulations. This product does not contain cadmium pigments or cadmium stabilizers.
<b>Contaminated packaging:</b>	Not applicable

**14. Transport information**

<b>International regulations:</b>	Not applicable
-----------------------------------	----------------

**15. Regulatory information**

<b>Classification and labeling:</b>	Hazard warning labelling in accordance with relevant EC-regulations is not required.
-------------------------------------	--

**16. Other information**

Carefully read the product information brochures before using Quadrant EPP materials.

Quadrant's Life Science Grades (LSG) should not be used for applications involving medical devices that are intended to remain implanted in the human body continuously for a period exceeding 24 hours/30 days\*, or are intended to remain in contact with internal human tissue or bodily fluids for more than 24 hours/30 days\*, or as critical components of medical devices that are essential to the continuation of human life.

\*: the period of 30 days only applies to KETRON® PEEK-CLASSIX™ LSG white.

**KETRON®** is a registered trademark of **Quadrant AG**.  
**PEEK-CLASSIX™** is a trademark of **Invibio Ltd**.

All information supplied by or on behalf of Quadrant Engineering Plastic Products in relation to its products, in any form, is supported by research and believed to be reliable, but Quadrant Engineering Plastic Products assumes no liability whatsoever in respect of application, processing or use made of the aforementioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Quadrant Engineering Plastic Products for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the aforementioned information or products by the buyer.